# SOCR: A Handwritten Data Form Producing and Reading System


Hanchuan Peng and Qiang Gan

Department of Biomedical Engineering, Southeast University, Nanjing, 210096, China. Email: phc@seu.edu.cn


#### **Abstract**

Document analysis and recognition software, especially form reader, is greatly required in office automation. This paper serves as a primer to the SOCR (version 1.03), which is a software package for handwritten data form producing and reading. This package integrates techniques of database linking, form producing, form reading, and data verification. With SOCR, data forms can be easily created and the form data, including loosely constrained handwritten numerals and symbols, can be read into databases at high accuracy and high speed, and in a human-compatible manner. This software package has been applied to producing and reading handwritten student score forms in several universities and tax forms in several cities.


## Main Structure of the System




# Database Linking and Form Producing




#### Form Data Structure



An example of form without the "Pillar" level.



The hierarchy tree, where the level of "Pillar" is optional, depending on applications.



An example of form without the "Pillar" level.

2000-Jan-10


# **Sample Form**

						,,,,,				, , , , ,					
东南大学学生成绩登记表															
课程名称 美术及艺术			课程代号	00	000	I 教师	<b>西姓名</b>	教一	教师任	七号	000	001考	式类别	学分	3.5
									(注:	考试	类别编号	为, ⅰ −考试,	2 - 考查,3 -	- 补考,4 -	重修)
序号 学号			更正分序号		学号		姓名	分数	更正分	序号		学号	姓名	分数	更正分
01 11191101	-	60	7516				学十六	7 - 1 - 1 -		3 1	111	9113			53
0 2 11191102	-	61	76 1 7	111			学十七			3 2	1   1	9113	2 学三二	60	60
03 11191103		62	7718				学十八			3 3	111	9113	3 学三三	71	
0 4 11191104		63	78 1 9	1	911		学十九			3 4		9113		72	
05       91   05	121-	64	79 2 0	1			学二十	, , -		3 5		9113	<del>_</del>	73	
he form form	at car	ı he	8021				学二一	95		3 6	1 1 1	9113		74	
changed b			? 2	1   1			学二二	_0 D	94	3 7	1 1 1	9113		7.5	
		, ,	3	1			学二三		ļ , <b>.</b>	3 8	1 1 1	9113		76	
orm producin	ig mod		J 3 2 4	1   1	911		学二四			3 9	111		9 学三九	7.7	
1011		69	8 4 2 5	111			学二五			4 0	111	911"	✓   204 — →		00000
11 1119111	<u> </u>	7.0	8526	111			学二六	<del></del>		4		Form	regis	trati	on is
12       9   1   2	86 2 7	· I I					<u> </u> -,-,-	automatically perfo							
13       9       3	' '	72	8728				学二八	0.0	<u> </u>	4					
14 11191114		73	8 8 2 9				学二九	- 1	ļ.,.,.	4 4			ard is	pro	viueu.
15       9     15	学十五	74	8730		91	30	学三十	86		4 5	111	9114	2 子以工	05	
(2)数 (3)数	<b>钢笔书写,笔</b> 划	4.5.7	书写位置居中,2 不带圈, 0 、 6				÷	正计录 签名	盖章		教师	<b>币签名</b>	教学	系主任签	名
规 <del>范</del> 书		0	12345	6.7	89							年 月	1 8	年	月日

### Handwritten Character Recognition

- The OCR/OMR module of SOCR can attain about 99.5% recognition accuracy for loosely constrained (handprinted) handwritten numerals and symbols.
- "Loosely constrained" means that all the characters should not be indeterminate for classification. The constraints imposed on handwritten numerals include:
  - '0', '6', '8', '9' have closed circles,
  - '1', '2', '3', '4', '5', '7' do not have circles,
  - '4' does not close the upper part.
- The recognition engine of SOCR is based on a hybrid model, which combines both traditional methods and neural recognizers. Doubtful characters are sent to the rejection processing module.

# Rejection Processing and Data Verification



Manual tool is provided for rejection correction. All the corrected characters can be distributed back to their original forms automatically.

Different data verification strategies are used to examine the (logical) correctness of recognized results. A pair examination wizard is provided.

